

Serial No. 10/823,097

PATENT  
Client/Matter No.: M1015.70013US01Amendments to the Claims

Please cancel claim 276 without prejudice. Please add new claims 485 to 504.

276. (Canceled)

485. (New) A method for immobilizing colloid particles comprising: allowing a first colloid particle to become immobilized with respect to a second colloid particle by binding interaction between a first chemical or biological species fastened to the first colloid particle and a second chemical or biological species fastened to the second colloid particle; and determining the immobilization of the first colloid particle with respect to the second colloid particle by a signaling entity.

486. (New) The method as in claim 485, wherein at least one of the first chemical or biological species or second chemical or biological species is fastened to the first or second colloid particle, respectively, via at least one of a carboxylate group, EDC/NHS chemistry, a nucleic acid sequence, or affinity tag interaction.

487. (New) The method as in claim 485, wherein at least one of the first chemical or biological species or second chemical or biological species is fastened to the first or second colloid particle, respectively, via affinity tag interaction.

488. (New) The method as in claim 485, wherein at least one of the first chemical or biological species or second chemical or biological species is fastened to the first or second colloid particle, respectively, via affinity tag interaction comprising a metal binding tag.

489. (New) The method as in claim 485, wherein the binding interaction is a biological binding interaction.

490. (New) The method as in claim 489, wherein the biological binding interaction comprises binding between a protein and a nucleic acid.

**Serial No. 10/823,097****PATENT  
Client/Matter No.: M1015.70013US01**

491. (New) The method as in claim 485, wherein at least one of the first and second species is a protein.
492. (New) The method as in claim 485, wherein at least one of the first and second species is a synthetic molecule.
493. (New) The method as in claim 485, wherein each of the first colloid particle and the second colloid particle is a gold colloid particle.
494. (New) The method as in claim 485, wherein the first colloid particle carries an immobilized emissive or absorptive species.
495. (New) The method as in claim 494, wherein the second colloid particle carries an affecting species having the ability to affect emission or absorption of the immobilized emissive or absorptive species.
496. (New) The method as in claim 485, wherein the binding interaction comprises binding of the first and second species to a common entity, the allowing step comprising allowing the first and second species to bind to the common entity.
497. (New) The method as in claim 496, wherein the common entity comprises a colloid particle.
498. (New) The method as in claim 496, wherein the common entity comprises biological material.
499. (New) The method as in claim 485, comprising allowing the binding interaction to take place in the presence of a candidate drug.
500. (New) The method as in claim 485, further comprising exposing a sample suspected of containing an analyte to the first and second chemical or biological species, wherein the analyte is suspected of affecting the binding interaction.

**Serial No. 10/823,097****PATENT  
Client/Matter No.: M1015.70013US01**

501. (New) The method as in claim 500, wherein the analyte comprises a candidate drug.
502. (New) The method as in claim 485, wherein the allowing step comprises allowing an enzyme to affect the binding interaction between the first and second species, and the determining step comprises determining the effect of the enzyme on the binding interaction.
503. (New) The method as in claim 496, wherein the common entity is an enzyme substrate, the method comprising exposing the enzyme substrate to an enzyme and an agent suspected of inhibiting the enzyme, the method further comprising determining immobilization of the first colloid particle with respect to the second colloid particle.
504. (New) The method as in claim 485, further comprising exposing, to the first and second chemical or biological species, a sample that contains or is suspected of containing an aggregate-forming species; or contains or is suspected of containing a precursor of an aggregate-forming species; or is able to produce or suspected of being able to produce aggregate-forming species; or is able to produce or suspected of being able to produce a precursor of an aggregate-forming species.